

Table ENG-5. - Sanitary Facilities

Greenbrier County, West Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
AIB: Allegheny	80	Somewhat limited Restricted	0.50	Somewhat limited Slope Seepage	0.68 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
AIC: Allegheny	80	Somewhat limited Slope Restricted	0.63 0.50	Very limited Slope Seepage	1.00 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
An: Atkins	35	Very limited Flooding Depth to saturated zone Restricted	1.00 1.00 0.79	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Philo	30	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
Potomac	20	Very limited Filtering capacity Flooding	1.00 0.40	Very limited Seepage Flooding	1.00 0.40
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
BaE: Belmont	75	Very limited Slope Depth to bedrock Restricted	1.00 0.78 0.50	Very limited Slope Seepage Depth to hard	1.00 0.50 0.42
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
BcC:					

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BcC: Berks	80	Very limited Depth to bedrock Filtering capacity Slope	1.00 1.00 0.04	Very limited Depth to soft Seepage Slope	1.00 1.00 1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
BcE: Berks	75	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
BcF: Berks	75	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
BkG: Berks	35	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Weikert	25	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Calvin	20	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
BIC: Berks	60	Very limited Depth to bedrock Filtering capacity Slope	1.00 1.00 0.04	Very limited Depth to soft Seepage Slope	1.00 1.00 1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BIC:					
Dekalb	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard	1.00
		Filtering capacity	1.00	Seepage	1.00
		Slope	0.04	Slope	1.00
Other Soils	10	Very limited		Very limited	
		Slope	1.00	Slope	1.00
BIE:					
Berks	55	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Dekalb	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Other Soils	10	Very limited		Very limited	
		Slope	1.00	Slope	1.00
BIF:					
Berks	45	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Dekalb	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Other Soils	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
BrE:					
Berks	50	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Weikert	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Other Soils	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
BrF:					

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
BrF: Berks	50	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Weikert	35	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
BtC: Blackthorn	75	Somewhat limited Restricted Slope	0.73 0.04	Very limited Slope Seepage Content of large stones	1.00 1.00 <0.01
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
BtE: Blackthorn	75	Very limited Slope Restricted	1.00 0.73	Very limited Slope Seepage Content of large stones	1.00 1.00 <0.01
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
BxF: Briery	70	Very limited Slope	1.00	Very limited Seepage Slope	1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
Rock Outcrop	15	Not Rated		Not Rated	
CbC: Calvin	45	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to soft Seepage Slope	1.00 1.00 1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CbC: Dekalb	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard	1.00
		Filtering capacity	1.00	Seepage	1.00
		Slope	0.04	Slope	1.00
Berks	20	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Filtering capacity	1.00	Seepage	1.00
		Slope	0.04	Slope	1.00
Other Soils	10	Very limited		Very limited	
		Slope	1.00	Slope	1.00
CbE: Calvin	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Dekalb	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Berks	20	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Other Soils	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
CbF: Calvin	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Dekalb	25	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Berks	20	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Other Soils	20	Very limited		Very limited	
		Slope	1.00	Slope	1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CeF: Caneyville	40	Very limited Restricted Depth to bedrock Slope	1.00 1.00 1.00	Very limited Depth to hard Slope	1.00 1.00
Frederick	30	Very limited Slope Restricted	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Rock Outcrop	20	Not Rated		Not Rated	
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
CfB: Cateache	85	Very limited Depth to bedrock Restricted	1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 0.92 0.50
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
CfC: Cateache	85	Very limited Depth to bedrock Slope Restricted	1.00 0.63 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
CfD: Cateache	85	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
CfE: Cateache	85	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
CfF:					

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CfF:					
Cateache	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
		Restricted	0.50	Seepage	0.50
Other Soils	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
CgC:					
Cateache	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Restricted	0.50	Slope	1.00
		Slope	0.04	Seepage	0.50
Other Soils	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
CgE:					
Cateache	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
		Restricted	0.50	Seepage	0.50
Other Soils	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
CgF:					
Cateache	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft	1.00
		Slope	1.00	Slope	1.00
		Restricted	0.50	Seepage	0.50
Other Soils	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
Ch:					
Chavies	85	Somewhat limited		Very limited	
		Flooding	0.40	Seepage	1.00
				Flooding	0.40
Other Soils	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
CpB:					
Cookport	80	Very limited		Very limited	
		Restricted	1.00	Depth to saturated	1.00
		Depth to saturated	1.00	zone	
		zone		Slope	0.82
		Depth to bedrock	0.48	Seepage	0.50

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
CpB: Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
CuB: Culleoka	90	Very limited Depth to bedrock	1.00	Very limited Depth to soft Seepage Slope	1.00 1.00 0.82
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
CuC: Culleoka	85	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
CuD: Culleoka	85	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
CyE: Culleoka	80	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
CyF: Culleoka	75	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
DeC:					

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
DeC: Dekalb	75	Very limited Depth to bedrock Filtering capacity Slope	1.00 1.00 0.04	Very limited Depth to hard Seepage Slope	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
DeE: Dekalb	75	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
DeF: Dekalb	75	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
DhC: Dekalb	55	Very limited Depth to bedrock Filtering capacity Slope	1.00 1.00 0.04	Very limited Depth to hard Seepage Slope	1.00 1.00 1.00
Hazleton	35	Very limited Filtering capacity Depth to bedrock Content of large stones	1.00 1.00 0.04	Very limited Seepage Slope Depth to hard	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
DhE: Dekalb	55	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
DhE: Hazleton	35	Very limited Slope Filtering capacity Depth to bedrock	1.00 1.00 1.00	Very limited Slope Seepage Depth to hard	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
DhF: Dekalb	55	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Hazleton	35	Very limited Slope Filtering capacity Depth to bedrock	1.00 1.00 1.00	Very limited Slope Seepage Depth to hard	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
DkF: Dekalb	45	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Rock Outcrop	40	Not Rated		Not Rated	
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
Du: Dunning	85	Very limited Flooding Restricted Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
EIF: Elliber	80	Very limited Slope Content of large stones	1.00 <0.01	Very limited Slope Seepage Content of large stones	1.00 1.00 0.04

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
EIF: Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
ErB: Ernest	80	Very limited Depth to saturated zone Restricted	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 0.92 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
EsC: Ernest	75	Very limited Restricted Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
FaE: Faywood	75	Very limited Restricted Depth to bedrock Slope	1.00 1.00 1.00	Very limited Depth to hard Slope	1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
FaF: Faywood	75	Very limited Restricted Depth to bedrock Slope	1.00 1.00 1.00	Very limited Depth to hard Slope	1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
FkB: Frankstown	75	Very limited Depth to bedrock Restricted	1.00 0.50	Somewhat limited Depth to hard Slope Seepage	1.00 0.92 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
FkC:					

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
FkC: Frankstown	75	Very limited Depth to bedrock Slope Restricted	1.00 0.63 0.50	Very limited Slope Depth to hard Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
FkD: Frankstown	75	Very limited Slope Depth to bedrock Restricted	1.00 1.00 0.50	Very limited Slope Depth to hard Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
FoC: Frankstown	75	Very limited Depth to bedrock Restricted Slope	1.00 0.50 0.04	Very limited Slope Depth to hard Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
FoE: Frankstown	75	Very limited Slope Depth to bedrock Restricted	1.00 1.00 0.50	Very limited Slope Depth to hard Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
FrB: Frederick	80	Somewhat limited Restricted	0.50	Somewhat limited Slope Seepage	0.92 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
FrC: Frederick	80	Somewhat limited Slope Restricted	0.63 0.50	Very limited Slope Seepage	1.00 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
FrD:					
Frederick	80	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted	0.50	Seepage	0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
FyC:					
Frederick	45	Somewhat limited Restricted Slope	0.50 0.04	Very limited Slope Seepage	1.00 0.50
Caneyville	35	Very limited Depth to bedrock Restricted Slope	1.00 0.79 0.04	Very limited Depth to hard Slope Seepage	1.00 1.00 0.21
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
FyE:					
Caneyville	40	Very limited Restricted Depth to bedrock Slope	1.00 1.00 1.00	Very limited Depth to hard Slope	1.00 1.00
Frederick	40	Very limited Slope Restricted	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
GaC:					
Gauley	85	Very limited Depth to bedrock Content of large stones Slope	1.00 0.14 0.04	Very limited Depth to hard Seepage Slope	1.00 1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
GaE:					
Gauley	80	Very limited Depth to bedrock Slope Content of large stones	1.00 1.00 0.14	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
GaE: Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
GnC: Gilpin	75	Very limited Depth to bedrock Slope Restricted	1.00 0.63 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
GnD: Gilpin	75	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
GpC: Gilpin	75	Very limited Depth to bedrock Restricted Slope	1.00 0.50 0.04	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
GpE: Gilpin	75	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
Ho: Holly	90	Very limited Flooding Depth to saturated zone Restricted	1.00 1.00 0.73	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
KxF:					

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
KxF: Kaymine	70	Very limited Slope	1.00	Very limited Seepage Slope Content of large stones	1.00 1.00 0.02
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
Rock Outcrop	15	Not Rated		Not Rated	
LcC: Leatherbark	85	Very limited Restricted Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
LgB: Lily	85	Very limited Depth to bedrock	1.00	Very limited Depth to hard Seepage Slope	1.00 1.00 0.92
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
LgC: Lily	85	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
LhE: Lily	80	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard Slope Seepage	1.00 1.00 1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
Lo:					

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Lo: Lobdell	75	Very limited Flooding Depth to saturated zone Restricted	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
MaB: Macove	85	Somewhat limited Content of large stones	0.39	Very limited Seepage Slope Content of large stones	1.00 0.92 0.70
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
MaC: Macove	85	Somewhat limited Slope Content of large stones	0.63 0.39	Very limited Slope Seepage Content of large stones	1.00 1.00 0.70
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
MaD: Macove	80	Very limited Slope Content of large stones	1.00 0.39	Very limited Slope Seepage Content of large stones	1.00 1.00 0.70
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
McC: Macove	80	Somewhat limited Slope	0.04	Very limited Seepage Slope	1.00 1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
McE: Macove	75	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
McE: Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
MeF: Macove	55	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
Gilpin	30	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
MkC: Mandy	85	Very limited Depth to bedrock Restricted Slope	1.00 0.50 0.04	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
MkE: Mandy	80	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
MkF: Mandy	80	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
MkG: Mandy	80	Very limited Depth to bedrock Slope Restricted	1.00 1.00 0.50	Very limited Depth to soft Slope Seepage	1.00 1.00 0.50

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
MkG: Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
MI: Melvin	50	Very limited Flooding Depth to saturated zone Restricted	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Lindside	35	Very limited Flooding Depth to saturated zone Restricted	1.00 1.00 0.73	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.27
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
MzC: Mertz	75	Very limited Restricted Slope	1.00 0.63	Very limited Slope	1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
MzE: Mertz	75	Very limited Slope Restricted	1.00 1.00	Very limited Slope	1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
No: Nolin	80	Very limited Flooding Depth to saturated zone Restricted	1.00 0.84 0.50	Very limited Flooding Seepage Depth to saturated zone	1.00 0.50 0.17
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
Ph: Philo	75	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ph: Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
Po: Pope	75	Very limited Flooding	1.00	Very limited Flooding Seepage	1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
Pt: Potomac	80	Very limited Filtering capacity Flooding	1.00 0.40	Very limited Seepage Flooding	1.00 0.40
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
PuA: Purdy	80	Very limited Restricted Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
Qu: Quarry	80	Not Rated		Not Rated	
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
Se: Sensabaugh	80	Very limited Flooding Depth to saturated zone	1.00 0.40	Very limited Flooding Seepage	1.00 1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
SfB: Shouns	85	Somewhat limited Restricted	0.50	Somewhat limited Slope Seepage	0.92 0.50
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
SfC: Shouns	85	Somewhat limited Slope Restricted	0.63 0.50	Very limited Slope Seepage	1.00 0.50
Other Soils	15	Very limited Slope	1.00	Very limited Slope	1.00
ShC: Shouns	80	Somewhat limited Restricted Slope	0.50 0.04	Very limited Slope Seepage	1.00 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
ShE: Shouns	75	Very limited Slope Restricted	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
ShF: Shouns	75	Very limited Slope Restricted	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
SmC: Simoda	75	Very limited Restricted Depth to saturated zone Depth to bedrock	1.00 1.00 0.48	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
SoC: Snowdog	75	Very limited Depth to saturated zone Restricted Slope	1.00 1.00 0.04	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
SoE: Snowdog	75	Very limited Depth to saturated zone Slope Restricted	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
SoF: Snowdog	75	Very limited Depth to saturated zone Slope Restricted	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
SvC: Summers	75	Very limited Depth to bedrock Depth to saturated zone	1.00 0.84	Very limited Depth to hard Seepage Slope	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
Tp: Tioga	55	Very limited Flooding Filtering capacity Depth to saturated zone	1.00 1.00 0.84	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 0.17
Potomac	35	Very limited Filtering capacity Flooding	1.00 0.40	Very limited Seepage Flooding	1.00 0.40
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
TrC: Trussel	80	Very limited Depth to saturated zone Restricted Slope	1.00 1.00 0.04	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Uf:					
Udfluvents	45	Not limited		Not limited	
Fluvaquents	35	Not limited		Not limited	
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
Ux:					
Udorthents	60	Very limited Slope	1.00	Very limited Slope	1.00
Rock Outcrop	35	Not Rated		Not Rated	
Other Soils	5	Very limited Slope	1.00	Very limited Slope	1.00
W:					
Water	100	Very limited Slope	1.00	Very limited Slope	1.00
W:					
Water	100	Very limited Slope	1.00	Very limited Slope	1.00
WeC:					
Weikert	80	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00
WeD:					
Weikert	75	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00
WeF:					
Weikert	75	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Other Soils	25	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-5. - Sanitary Facilities - Continued

Greenbrier County, West Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
WrG: Weikert	40	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Berks	35	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to soft Slope Seepage	1.00 1.00 1.00
Rough	15	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard Slope	1.00 1.00
Other Soils	10	Very limited Slope	1.00	Very limited Slope	1.00
ZoA: Zoar	80	Very limited Restricted Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Other Soils	20	Very limited Slope	1.00	Very limited Slope	1.00